



Rabatte



White




Crème




Gray




Blue




Ivory



Anthracite



Black



Dutch green



Green



Moss-green




Wine red


Topline



Golden Oak



Mahogany



Rabatte

Rabatte 5 panels per package (= 3,65 m²)



Profort White - RAL 9010

Matching paintwork in RAL 9002

Profort Green - RAL 6009







Profort White - RAL 9010

Matching paintwork in RAL 7039

Profort Black - RAL 9005



Double rabatte/Shiplap Woodgrain



Crème




Green



Black

Groove




Groove


Double rabatte 3 panels per package (= 4,37 m²)
Shiplap 4 panels per package (= 3,67 m²)

Groove 5 panels per package (= 3,65 m²)



Rabatte Select



Cedar



Wengé



Rabatte Select 4 panels per package (= 2,92 m²)


TYPE		Rabatte / Groove	Double rabatte	Shiplap
Dimension (active)		5400 x 165 (135) x 16 mm	5400 x 300 (270) x 16 mm	5400 x 200 (170) x 16 mm
Colours:				
White	RAL 9010	S / A	A	A
Crème	RAL 9001	S / S	S	S
Gray	RAL 7039	S / A	A	A
Blue	RAL 5003	S / A	A	A
Ivory	RAL 1015	S / A	A	A
Anthracite	RAL 7016	S / A	A	A
Black	RAL 9005	S / A	S	S
Dutch green	Sikkens Q0.05.10	S / A	A	A
Green	RAL 6009	S / S	S	S
Moss-green	RAL 6005	S / A	A	A
Wine red	RAL 3005	S / A	A	A
Cedar		S / A	A	A
Wengé		S / A	A	A
Film: Golden Oak	Renolit 2178001	S / A	A	A
Film: Mahonie	Renolit 2065021	S / A	A	A
Application		Horizontally/ Vertically/ Diagonal	Horizontally/ Vertically/ Diagonal	Horizontally

The colour examples in this brochure approach the current colour programme as well as possible. We recommend you for purchase to ask for a colour sample at your Profort application supplier.

S = Standard, stock delivery, subject to unforeseen circumstances. A = On demand.

Profort assembly accessories


Aluminium start profile
Length 300 cm



Profort screw with anti corrosion coating
Dimension 3 x 30 mm



Ventilation profile
Length 300 cm



Luxury aluminium profiles predrilled

Aluminium outside cornerprofile
Length 300 cm / 22 mm



Crème
Green
Black (anodised)
Aluminium (anodised)

Aluminium/PVC outside cornerprofile
Length 300 cm



Crème
Green
Black (anodised)
Aluminium (anodised)

Profort plastic profiles

Coupling
Length 13,5 cm



End profile
Length 270 cm



Inside- outside corner
Length 270 cm




Couplingprofile
Length 270 cm





Your Profort point of sale:



Fetim Professional

Tel.: +31 (0)20 580 5285

Email: professional@fetim.nl

www.fetimprofessional.nl

www.FrontsAndFronts.nl



Profort

The professional fascia
cladding system

Assortment

- Simple to fix
- Low maintenance
- PVC Fascia cladding
- Durable
- Colourfast
- 10 year guarantee
- Enviroment-friendly
- Recyclable
- KOMO product certificate
- Many colours



Profort® ↗